Clasewood SIPHI Lot 49

	(LVANIA (DEPAR eration I			PUBLIC	HEAL	TH	
New XX	Repair	<u>Ор</u>	eration i	ermi	Add	ition/Expan	sion	· · · · · · · · · · · · · · · · · · ·	-
No. of Bdrms: 3	System T	Type: <u> </u>	Prop	rietary	Name: _	ezflow			
McCall, Tim			Theron McCall # 1808						
\bigcirc \square	vner's Name	·		Syste	m Installe		Cer	tification Nu	ımbe
Smee Fram	orized State Agen) ·	· ·		10 -30	of Operation	Permit Issu	ance	
	ŭ		ahla NG Car	1 C4-4		-			.1
This system has been install conditions of the Impre					utes, Ruie	s for Sewage	Treatment	and Disposa	ıı an
Septic Tank Manufacturer:	SCM-1000	, 	STB-	. 862	2	Date of Ma	nufacture:	9-29-14	
ilter Brand: <u>Tufftite EF-6</u>	··· •··	·	-						
See attached "As-	huilt" drawi	ina							
	Julio Glumi								
					÷				
		•			*				
					-				
							•		
	•				,				
			*						
					*				
						-			
Conditions/Comments:_I	t is recomme	ended to h	ave sept	ic tan	k pumpe	d every !	years.		
				·					

The septic tank should have all compartments pumped out every 3-5 years, on average, or when the solids are more than 1/3 of the liquid depth in any compartment. Depending upon trench depth, maximum fill over the drainfield cannot exceed two feet. Establish cover over drainfield and divert surface waters to prevent erosion or degradation of the system. No part of the septic system should be subjected to: traffic or any other compaction; vegetation with aggressive and/or hydrophilic (water loving) root systems such as maples or willows; excessive fill or heavy landscaping materials such as rocks/boulders; or any other activities or circumstances that may alter site conditions and may cause problems with the initial system or the repair area as permitted.

BLG 10-31-14 TANK INFO 9-29-14 Scm - 1000 NEW CASTLE ED STB-86Z TUFFTITE EF-6 Prop 38R W/ *G'MAPLE* **₹** 3'x60'EZFLOW REPAR 10/70 31x 70' EZFLOW THE TWI AREA 3'x 70' EZFLOW

F

TRANSYLVANIA COUNTY DEPARTMENT OF PUBLIC HEALTH IMPROVEMENT PERMIT DIAGRAM File Name: MCCALC, TIME KATHLEEN Permit No.: 11-128

CHASENCED, LOT JEIP 9 PIN: 8574-63-8939-000 A > 50' TO NEIGHEOR STATIF (NOW-SMHOLLITE) SYSTEM PERM T. 200 Expined * WELL (STILL SO' AREA TO P/W) 50 MIN TO REPAIR AREA LOT 49 1.071C 100 10 MINY SEPTIC 50. V TANK PRIL DROPOSED 3 BR W/ Men . ENSEMENT EASEMENT Pride Drive \$ 100 TO EIP O SILE W AREA 1000 GAL MIN TANK-7 FREAM The state of the s (S M MAX The state of the s TRENCH × 9 0.c. DEPTH * REGIECTED WELL ARTA * KETP WELL OUT No. OF ANY ENSEMENTS UN ZIGHT-OF-WAYS of Sold of Sol RANCE GARONIE NEHS

SCALE: 1"=___ 40'