PIN: 8594-54-7207-000

File Name: Eagle Lake Lot 132

____ Permit No.: 21-181

TRANSYLVANIA COUNTY DEPARTMENT OF PUBLIC HEALTH

Improvement Permit

A building permit cannot be issued with only an Improvement Permit
ISSUED TO: Glenn & Diane Ballinger PROPERTY LOCATION: TBD Eagle Lake Dr
New Kepair Legislation Expansion Legislation Single Family Residence Proposed Wastewater System Type: II-25% reduction Projected Daily Flow: 480 GPD Number of bedrooms: 4 Max. No. of Occupants: 8 Site Improvements required prior to Construction Authorization Issuance: IP/CA fees have been paid CA will be released after house site has been marked.
Pump Required: Yes No May be required based upon final location and elevations of facilities Pump systems with an effluent pump must be designed by a Professional Engineer (P.E.) and plans submitted to the Environmental Health Section for approval. Type of Water Supply: Improvement Permit Expiration Date: 7/1/2026 Permit conditions: See permit diagram
Authorized State Agent: Jaylon Sloop REH5T Date: 7/1/2021 See Attached Permit Diagram The issuance of this permit by the Transylvania County Environmental Health Section in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This permit is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for
Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization
ISSUED TO: Glenn & Diane Ballinger Type of Structure: Single Family Residence
Basement? No Basement Plumbing Fixtures? Yes No Type of Wastewater System** (See note below, if applicable 1) Same/Ille (Repair) LTAR: 0.5
Installation Requirements/Conditions
Septic Tank Size: 1000 gallons, minimum Total Trench Length: 240 feet Trench Spacing: 9 Feet on Center
Pump Tank Size gallons, minimum Trench Width: 3 feet Distribution Method: Serial or Dbox
(Trench bottoms shall be level to +/- ½" in all directions) Min. distance between system and nearest: Well 50 ft. Water Line 10 ft Foundation 15 ft Property Line 10 ft. Vertical Cut 15 ft Permit Conditions: See permit diagram
THIS PART OF THE PERMIT HAS NOT BEEN RELEASED
**If applicable:
Funderstand the system type specified is different from the type specified on the application. I accept the specifications of this permit.
Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. I agree to have the entitle wastewater system installed by an authorized installer in accordance with the Improvement Permit, Construction Authorization, permit diagram and any conditions specified therein.
NOT stallation or Date of Issuance:
Building: Construction Construction Authorization Expiration Date: 7/1/2026